

| <b>*L<br/>Number</b> | <b>Hits</b> | <b>Search Text</b>               | <b>DB</b>                                   | <b>Time stamp</b>   |
|----------------------|-------------|----------------------------------|---|---------------------|
| 1                    | 11          | "327247"                         | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:07 |
| 2                    | 13          | "d327247"                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:15 |
| 3                    | 2           | 5059885.pn.                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:16 |
| 4                    | 0           | 5059885.pn. and (metal\$4)       | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:16 |
| 5                    | 2           | 6154006.pn.                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:16 |
| 6                    | 0           | 6154006.pn. and (metal metallic) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:16 |
| 7                    | 0           | 6154006.pn. and cool\$3          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:16 |
| 8                    | 0           | 5059885.pn. and cool\$3          | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:17 |
| 9                    | 17          | "5104752"                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:18 |
| 10                   | 32          | "5140744"                        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:18 |
| 11                   | 48          | "5104752" "5140744"              | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:25 |
| 12                   | 2           | 4143417.pn.                      | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:25 |
| 13                   | 0           | 4143417.pn. and (cool\$3)        | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:25 |

|    |      |   |   |                     |
|----|------|---|---|---------------------|
| 14 | 3181 | 320/107 320/108 320/109 320/110 320/111<br>320/112 320/113 320/114 320/115  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>14:58 |
| 15 | 260  | (320/107 320/108 320/109 320/110 320/111<br>320/112 320/113 320/114 320/115) and<br>(cool\$3)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:27 |
| 16 | 152  | ((320/107 320/108 320/109 320/110 320/111<br>320/112 320/113 320/114 320/115) and<br>(cool\$3)) and (metal metallic steel)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:30 |
| 17 | 99   | (320/107 320/108 320/109 320/110 320/111<br>320/112 320/113 320/114 320/115) and ((frame<br>housing receptacle charger) near5 (steel<br>metal metallic))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:37 |
| 19 | 20   | US-6368751-\$.DID. OR US-6358651-\$.DID. OR<br>US-6306534-\$.DID. OR US-6296960-\$.DID. OR<br>US-6299998-\$.DID. OR US-6299997-\$.DID. OR<br>US-6190792-\$.DID. OR US-6183914-\$.DID. OR<br>US-5250370-\$.DID. OR US-6472093-\$.DID. OR<br>US-6458480-\$.DID. OR US-6605391-\$.DID. | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>13:39 |
| 18 | 51   | (320/107 320/108 320/109 320/110 320/111<br>320/112 320/113 320/114 320/115) and ((metal<br>metallic steel) near4 (heat\$3))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>14:56 |
| 20 | 16   | (320/107 320/108 320/109 320/110 320/111<br>320/112 320/113 320/114 320/115) and<br>((heat\$3 thermal\$3) near1 management)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>14:58 |
| 21 | 2144 | 14.ccls.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>14:58 |
| 22 | 560  | 14.ccls. and (metal metallic steel)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>14:59 |
| 23 | 249  | 320/107 320/108 320/109 320/110 320/111<br>320/112 320/113 320/114 320/115  | USOCR                                       | 2004/03/03<br>15:00 |
| 24 | 103  | (320/107 320/108 320/109 320/110 320/111<br>320/112 320/113 320/114 320/115) and (metal<br>metallic steel)  | USOCR                                       | 2004/03/03<br>14:58 |
| 25 | 5    | 14.ccls. and (metal metallic steel)   | EPO; JPO;<br>DERWENT                        | 2004/03/03<br>14:59 |
| 26 | 555  | (14.ccls. and (metal metallic steel)) not<br>(14.ccls. and (metal metallic steel))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:00 |
| 27 | 62   | ((14.ccls. and (metal metallic steel)) not<br>(14.ccls. and (metal metallic steel))) and<br>((metal metallic steel) with (heat\$4<br>thermal\$4 overheat\$4))   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:05 |

|    |        |   |   |                     |
|----|--------|---|---|---------------------|
| 28 | 4660   | (metal metallic steel) near2 charging   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:08 |
| 29 | 205    | ((metal metallic steel) near2 charging) same<br>(battery batteries electrochemical)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:08 |
| 30 | 90     | ((metal metallic steel) near2 charging) same<br>(battery batteries electrochemical)   | EPO; JPO;<br>DERWENT                        | 2004/03/03<br>15:10 |
| 31 | 53848  | batter\$3 near1 charg\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:10 |
| 32 | 188234 | (charging recharging charger recharger frame<br>case receptacle container housing casing)<br>near2 (metal metallic steel)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:12 |
| 33 | 186729 | ((charging recharging charger recharger<br>frame case receptacle container housing<br>casing) near2 (metal metallic steel)) not<br>(batter\$3 near1 charg\$3)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:12 |
| 34 | 1505   | ((charging recharging charger recharger<br>frame case receptacle container housing<br>casing) near2 (metal metallic steel)) not<br>(((charging recharging charger recharger<br>frame case receptacle container housing<br>casing) near2 (metal metallic steel)) not<br>(batter\$3 near1 charg\$3))                  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:12 |
| 35 | 115    | (320/107 320/108 320/109 320/110 320/111<br>320/112 320/113 320/114 320/115) and<br>overheat\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:30 |
| 36 | 461    | ((((charging recharging charger recharger<br>frame case receptacle container housing<br>casing) near2 (metal metallic steel)) not<br>(((charging recharging charger recharger<br>frame case receptacle container housing<br>casing) near2 (metal metallic steel)) not<br>(batter\$3 near1 charg\$3))) and (cool\$3) | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:22 |
| 37 | 2      | ((((charging recharging charger recharger<br>frame case receptacle container housing<br>casing) near2 (metal metallic steel)) not<br>(((charging recharging charger recharger<br>frame case receptacle container housing<br>casing) near2 (metal metallic steel)) not<br>(batter\$3 near1 charg\$3))) and (cool\$3) | EPO; JPO;<br>DERWENT                        | 2004/03/03<br>15:22 |
| 38 | 1      | 1997-408717.NRAN.   | DERWENT                                     | 2004/03/03<br>15:22 |

|    |       |  |   |                     |
|----|-------|--|---|---------------------|
| 39 | 345   | ((charging recharging charger recharger frame case receptacle container housing casing) near2 (metal metallic steel)) not ((charging recharging charger recharger frame case receptacle container housing casing) near2 (metal metallic steel)) not (batter\$3 near1 charg\$3))) and (cool\$3) | USPAT                                       | 2004/03/03<br>15:23 |
| 40 | 184   | 14.ccls. and cool\$3   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:55 |
| 41 | 409   | charger near3 cool\$3  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:56 |
| 42 | 254   | (charger near3 cool\$3) not (battery batteries)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>15:57 |
| 43 | 155   | (charger near3 cool\$3) not ((charger near3 cool\$3) not (battery batteries))  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>16:10 |
| 44 | 31    | 3665285.URPN.  | USPAT                                       | 2004/03/03<br>16:02 |
| 45 | 9     | ("3194689"   "3287076"   "3058046"   "3536981"   "3389323"   "3274477"   "3102222"   "3293528"   "2982849").PN.  | USPAT                                       | 2004/03/03<br>16:03 |
| 46 | 2     | 6027535.pn.  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>16:10 |
| 47 | 1     | 6027535.pn. and (metal metallic steel)   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>16:10 |
| 48 | 1     | 6027535.pn. and (metal metallic steel aluminum)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>16:17 |
| 49 | 1     | 6027535.pn. and housing  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>16:17 |
| 50 | 67    | ((charger near3 cool\$3) not ((charger near3 cool\$3) not (battery batteries))) and (metal metallic steel aluminum)  | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>16:20 |
| 51 | 39320 | 429/\$.ccls.   | USPAT;<br>US-PGPUB;<br>EPO; JPO;<br>DERWENT | 2004/03/03<br>16:21 |

|           |            |   |   |                             |
|-----------|------------|---|---|-----------------------------|
| <b>52</b> | <b>671</b> | <b>429/\$.ccls. and charger</b>   | <b>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT</b> | <b>2004/03/03<br/>16:21</b> |
| <b>53</b> | <b>13</b>  | <b>(429/\$.ccls. and charger) and (charger near5<br/>(metal metallic steel aluminum))</b>   | <b>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT</b> | <b>2004/03/03<br/>16:22</b> |
| <b>54</b> | <b>90</b>  | <b>(320/107 320/108 320/109 320/110 320/111<br/>320/112 320/113 320/114 320/115) and ((metal<br/>metallic aluminum steel) near6 (heat\$3<br/>thermal\$3))</b> | <b>USPAT;<br/>US-PGPUB;<br/>EPO; JPO;<br/>DERWENT</b> | <b>2004/03/03<br/>16:23</b> |